

# 4K ULTRA HD

Network Video Recorder



Xmeye

hiviewXview

Download Application

## NETWORK VIDEO RECORDER



## Feature

- GUI Languages Thai, English Etc. (More than 20)
- Support Startup wizard.
- Support Quick set IP camera, search/add IPC via NVR menu.
- Support Hiview cloud P2P ([www.hiviewxview.com](http://www.hiviewxview.com))
- Support App "hiviewxview"
- Support OTA upgrade (Online upgrade)
- Support Hiview DDNS
- Support Tour function
- Support HDMI output resolution 4K
- Support Record bitrate information table
- Support Log search and export file
- Support HDD information
- Support Import/Export Log, File config function
- Support Auto-reboot maintain system
- Support Output image adjustment
- Support Account management
- Support PTZ control

## Specification

1/2

Model	HP-8925H2
Decode	H.265+/H.264+
Video Input	4Kx8Ch/5MPx25Ch/1080Px32Ch
Playback	4Kx1Ch/5MPx2Ch/1080Px4Ch
Video Standard	PAL/NTSC
<b>AUDIO</b>	
Audio Compression	G.711a
Audio Intetcom	Support
<b>RECORD</b>	
Record Mode	Manual, Regura, Alarm, Motion, Timing
Record Period	Support 4 period mode
Serach Mode	Common playabck mode Intelligent fast playback mode Intelligent retrieval mode Calendar serach mode Backup device mode
Storage Mode	HDD storage, Network storage
Backup Mode	Network, USB, SATA
Overwrite Mode	Support
Snapshot Mode	Support cycle capture, timing capture
<b>CHANNEL TYPE</b>	
Mode 1	5MP x25, Playback x2, Preview x25
Mode 2	1080P x32, Playback x2, Preview x25
Mode 3	4K x8, Playback x1, Preview x8
<b>NETWORK</b>	
Network Protocol	IPv4, IPv6, DHCP, DNS, DDNS, UPNP PPPoE, FTP, SMTP, NTP, RTSP,
ONVIF	Support V2.4
3G/4G	Support
Wi-Fi	Support USB Wi-Fi
Cloud P2P	Support ( <a href="http://www.hiviewxview.com">www.hiviewxview.com</a> )
Mobile Application	iOS&Android (hiviewxview)
OTA Upgrade	Support



Xmeye

hiviewXview

Download Application

# NETWORK VIDEO RECORDER



## Specification

2/2



## Feature

- GUI Languages Thai, English Etc. (More than 20)
- Support Startup wizard.
- Support Quick set IP camera, search/add IPC via NVR menu.
- Support Hiview cloud P2P ([www.hiviewxview](http://www.hiviewxview))
- Support App "hiviewxview"
- Support OTA upgrade (Online upgrade)
- Support Hiview DDNS
- Support Tour function
- Support HDMI output resolution 4K
- Support Record bitrate information table
- Support Log search and export file
- Support HDD information
- Support Import/Export Log, File config function
- Support Auto-reboot maintain system
- Support Output image adjustment
- Support Account management
- Support PTZ control

Model	HP-8925H2
Browsers Access	Support IE, Chrome, Firefox, Etc.
VMS	Support
<b>ALARM</b>	
Alarm Mode	Motion detection, video blind, video loss Abnormal, Intelligent alarm
Alarm Tringing	Record, tour, show message, buzzer, send email, Write log, mobile reported PTZ activation, Post record
Alarm Period	Support
FTP Alarm	Support
IP Filter	Support (White list and black list)
Buzzer Alarm	Support
<b>Hardware Interface</b>	
HDMI Output	x1 (1024x768, 1280x1024, 1440x900, 1920x1080, 3840x2160)
VGA Output	x1 (1024x768, 1280x1024, 1440x900, 1920x1080)
Audio Input	x1 (RCA)
Audio Output	x1 (RCA)
Ethernet Port	x1 RJ45 (Speed 1.0 Gbps)
USB 2.0	x2
HDD	x2 (max.20TB.)
Cooling Fan	x1 (build-in)
<b>General</b>	
Working Temperature	0C~+55
Working Humidity	10%~90% RH
Power Supply	12V/4A
Power Consumption	<10W (Without HDD)
Weight	around 1.7KG
Dimension (mm.)	310(L)x298(W)x60(H)



Xmeye

hiviewXview

Download Application

# NETWORK VIDEO RECORDER